



# RESIDENTIAL REROOF PERMIT COOL ROOF EXEMPTION DOCUMENTATION

Community Development Department/Building Division  
201 North Broadway, Escondido, CA 92025 (760) 839-4647

**Permit Number:**

**Date:**

**Site Address:**

**Description of Work:**

**Owner:**

**Owner Address:**

### When will I be required to put on a cool roof?

Cool roof requirements are triggered when more than 50% of the roof area is being replaced or more than 300 sq. ft. is being added to the house. The list below are exceptions to the cool roof requirement.

### Please circle the applicable exemption.

- Air-space of 1.0 inch (25 mm) is provided between the top of the roof deck to the bottom of the roofing product; or
- The installed roofing product has a profile ratio of rise to width of 1 to 5 for 50 % or greatest of the width of the roofing product; or
- If existing ducts in the attic are insulated and sealed according to § 151(c)9; or  
**(verification of insulation and Hers testing required)**
- Buildings with at least R-38 ceiling insulation; or  
**(access to attic space required)**
- Building with a radiant barrier in the attic meeting the requirements of §151(c)2; or  
**(access to attic space required)**
- Buildings with no ducts in the attic; or  
**(access to attic space required)**
- In Climate Zone 10, R-2 or greater insulation above the roof deck.

\_\_\_\_\_  
Applicant's Signature

\_\_\_\_\_  
(print name)

\_\_\_\_\_  
Date

**CHECK ONE:**  Building Owner     Owner's Agent     Contractor     Contractor's Agent