

Appendix B2. Air Quality Modeling Output

CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
 JUNE 1989 VERSION
 PAGE 1

JOB: ElNorteBroadwayAM
 RUN: Hour 1 (WORST CASE ANGLE)
 POLLUTANT:

I. SITE VARIABLES

U= 0.5 M/S Z0= 100. CM ALT= 0. (M)
 BRG= WORST CASE VD= 0.0 CM/S
 CLAS= 7 (G) VS= 0.0 CM/S
 MIXH= 10. M AMB= 4.2 PPM
 SIGTH= 25. DEGREES TEMP= 4.4 DEGREE (C)

II. LINK VARIABLES

| LINK DESCRIPTION | * X1 | * Y1 | * X2 | * Y2 | * TYPE | VPH | EF (G/MI) | H (M) | W (M) |
|------------------|--------|-------|-------|--------|--------|------|-----------|-------|-------|
| A. A | * -150 | * 0 | * 0 | * 0 | * AG | 1721 | 0.6 | 0.0 | 10.0 |
| B. B | * 0 | * 150 | * 0 | * 0 | * AG | 1461 | 0.6 | 0.0 | 10.0 |
| C. C | * 0 | * 0 | * 150 | * 0 | * AG | 1010 | 0.6 | 0.0 | 10.0 |
| D. D | * 0 | * 0 | * 0 | * -150 | * AG | 1311 | 0.6 | 0.0 | 10.0 |

III. RECEPTOR LOCATIONS

| RECEPTOR | * X | * Y | * Z |
|----------|------|------|-------|
| 1. SE | * 9 | * -9 | * 1.5 |
| 2. NW | * -9 | * 9 | * 1.5 |
| 3. NE | * 9 | * 9 | * 1.5 |
| 4. SW | * -9 | * -9 | * 1.5 |

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

| RECEPTOR | * BRG (DEG) | * PRED CONC (PPM) | * A | * B | * C | * D |
|----------|-------------|-------------------|-------|-------|-------|-------|
| 1. SE | * 282. | * 4.3 | * 0.1 | * 0.0 | * 0.0 | * 0.0 |
| 2. NW | * 167. | * 4.3 | * 0.0 | * 0.0 | * 0.0 | * 0.1 |
| 3. NE | * 258. | * 4.3 | * 0.1 | * 0.0 | * 0.0 | * 0.0 |

4. SW * 12. * 4.3 * 0.1 0.1 0.0 0.0



CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
 JUNE 1989 VERSION
 PAGE 1

JOB: LincolnBroadwayAM
 RUN: Hour 1 (WORST CASE ANGLE)
 POLLUTANT:

I. SITE VARIABLES

U= 0.5 M/S Z0= 100. CM ALT= 0. (M)
 BRG= WORST CASE VD= 0.0 CM/S
 CLAS= 7 (G) VS= 0.0 CM/S
 MIXH= 10. M AMB= 4.2 PPM
 SIGTH= 25. DEGREES TEMP= 4.4 DEGREE (C)

II. LINK VARIABLES

| LINK DESCRIPTION | * X1 | * Y1 | * X2 | * Y2 | * TYPE | VPH | EF (G/MI) | H (M) | W (M) |
|------------------|------|------|------|------|--------|------|-----------|-------|-------|
| A. A | -150 | 0 | 0 | 0 | AG | 931 | 0.6 | 0.0 | 10.0 |
| B. B | 0 | 150 | 0 | 0 | AG | 1365 | 0.6 | 0.0 | 10.0 |
| C. C | 0 | 0 | 150 | 0 | AG | 882 | 0.6 | 0.0 | 10.0 |
| D. D | 0 | 0 | 0 | -150 | AG | 1886 | 0.6 | 0.0 | 10.0 |

III. RECEPTOR LOCATIONS

| RECEPTOR | * X | * Y | * Z |
|----------|-----|-----|-----|
| 1. SE | 9 | -9 | 1.5 |
| 2. NW | -9 | 9 | 1.5 |
| 3. NE | 9 | 9 | 1.5 |
| 4. SW | -9 | -9 | 1.5 |

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

| RECEPTOR | * BRG (DEG) | * PRED CONC (PPM) | * A | * B | * C | * D |
|----------|-------------|-------------------|-----|-----|-----|-----|
| 1. SE | 283. | 4.3 | 0.0 | 0.0 | 0.0 | 0.1 |
| 2. NW | 168. | 4.3 | 0.0 | 0.0 | 0.0 | 0.1 |
| 3. NE | 192. | 4.3 | 0.0 | 0.0 | 0.0 | 0.1 |

4. SW * 77. * 4.3 * 0.0 0.0 0.0 0.1



CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
 JUNE 1989 VERSION
 PAGE 1

JOB: MissionBroadwayPM
 RUN: Hour 1 (WORST CASE ANGLE)
 POLLUTANT:

I. SITE VARIABLES

U= 0.5 M/S Z0= 100. CM ALT= 0. (M)
 BRG= WORST CASE VD= 0.0 CM/S
 CLAS= 7 (G) VS= 0.0 CM/S
 MIXH= 10. M AMB= 4.2 PPM
 SIGTH= 25. DEGREES TEMP= 4.4 DEGREE (C)

II. LINK VARIABLES

| LINK DESCRIPTION | * X1 | * Y1 | * X2 | * Y2 | * TYPE | VPH | EF (G/MI) | H (M) | W (M) |
|------------------|--------|-------|-------|--------|--------|------|-----------|-------|-------|
| A. A | * -150 | * 0 | * 0 | * 0 | * AG | 1214 | 0.6 | 0.0 | 10.0 |
| B. B | * 0 | * 150 | * 0 | * 0 | * AG | 960 | 0.6 | 0.0 | 10.0 |
| C. C | * 0 | * 0 | * 150 | * 0 | * AG | 1106 | 0.6 | 0.0 | 10.0 |
| D. D | * 0 | * 0 | * 0 | * -150 | * AG | 1389 | 0.6 | 0.0 | 10.0 |

III. RECEPTOR LOCATIONS

| RECEPTOR | * X | * Y | * Z |
|----------|------|------|-------|
| 1. SE | * 9 | * -9 | * 1.5 |
| 2. NW | * -9 | * 9 | * 1.5 |
| 3. NE | * 9 | * 9 | * 1.5 |
| 4. SW | * -9 | * -9 | * 1.5 |

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

| RECEPTOR | * BRG (DEG) | * PRED CONC (PPM) | * A | * B | * C | * D |
|----------|-------------|-------------------|-------|-------|-------|-------|
| 1. SE | * 283. | * 4.3 | * 0.1 | * 0.0 | * 0.0 | * 0.0 |
| 2. NW | * 168. | * 4.3 | * 0.0 | * 0.0 | * 0.0 | * 0.1 |
| 3. NE | * 193. | * 4.3 | * 0.0 | * 0.0 | * 0.0 | * 0.1 |

4. SW * 77. * 4.3 * 0.0 0.0 0.1 0.0



CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
 JUNE 1989 VERSION
 PAGE 1

JOB: ValleyRoseAM
 RUN: Hour 1 (WORST CASE ANGLE)
 POLLUTANT:

I. SITE VARIABLES

U= 0.5 M/S Z0= 100. CM ALT= 0. (M)
 BRG= WORST CASE VD= 0.0 CM/S
 CLAS= 7 (G) VS= 0.0 CM/S
 MIXH= 10. M AMB= 4.2 PPM
 SIGTH= 25. DEGREES TEMP= 4.4 DEGREE (C)

II. LINK VARIABLES

| LINK DESCRIPTION | * X1 | * Y1 | * X2 | * Y2 | * TYPE | VPH | EF (G/MI) | H (M) | W (M) |
|------------------|--------|-------|-------|--------|--------|------|-----------|-------|-------|
| A. A | * -150 | * 0 | * 0 | * 0 | * AG | 806 | 0.6 | 0.0 | 10.0 |
| B. B | * 0 | * 150 | * 0 | * 0 | * AG | 1276 | 0.6 | 0.0 | 10.0 |
| C. C | * 0 | * 0 | * 150 | * 0 | * AG | 698 | 0.6 | 0.0 | 10.0 |
| D. D | * 0 | * 0 | * 0 | * -150 | * AG | 609 | 0.6 | 0.0 | 10.0 |

III. RECEPTOR LOCATIONS

| RECEPTOR | * X | * Y | * Z |
|----------|------|------|-------|
| 1. SE | * 9 | * -9 | * 1.5 |
| 2. NW | * -9 | * 9 | * 1.5 |
| 3. NE | * 9 | * 9 | * 1.5 |
| 4. SW | * -9 | * -9 | * 1.5 |

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

| RECEPTOR | * BRG (DEG) | * PRED CONC (PPM) | * A | * B | * C | * D |
|----------|-------------|-------------------|-------|-------|-------|-------|
| 1. SE | * 348. | * 4.3 | * 0.0 | * 0.1 | * 0.0 | * 0.0 |
| 2. NW | * 102. | * 4.3 | * 0.0 | * 0.0 | * 0.0 | * 0.0 |
| 3. NE | * 258. | * 4.3 | * 0.0 | * 0.0 | * 0.0 | * 0.0 |

4. SW * 12. * 4.3 * 0.0 0.1 0.0 0.0



CALINE4: CALIFORNIA LINE SOURCE DISPERSION MODEL
 JUNE 1989 VERSION
 PAGE 1

JOB: WashAshAM
 RUN: Hour 1 (WORST CASE ANGLE)
 POLLUTANT:

I. SITE VARIABLES

U= 0.5 M/S Z0= 100. CM ALT= 0. (M)
 BRG= WORST CASE VD= 0.0 CM/S
 CLAS= 7 (G) VS= 0.0 CM/S
 MIXH= 10. M AMB= 4.2 PPM
 SIGTH= 25. DEGREES TEMP= 4.4 DEGREE (C)

II. LINK VARIABLES

| LINK DESCRIPTION | * X1 | * Y1 | * X2 | * Y2 | * TYPE | VPH | EF (G/MI) | H (M) | W (M) |
|------------------|------|------|------|------|--------|------|-----------|-------|-------|
| A. A | -150 | 0 | 0 | 0 | AG | 898 | 0.6 | 0.0 | 10.0 |
| B. B | 0 | 150 | 0 | 0 | AG | 1110 | 0.6 | 0.0 | 10.0 |
| C. C | 0 | 0 | 150 | 0 | AG | 731 | 0.6 | 0.0 | 10.0 |
| D. D | 0 | 0 | 0 | -150 | AG | 621 | 0.6 | 0.0 | 10.0 |

III. RECEPTOR LOCATIONS

| RECEPTOR | * X | * Y | * Z |
|----------|-----|-----|-----|
| 1. SE | 9 | -9 | 1.5 |
| 2. NW | -9 | 9 | 1.5 |
| 3. NE | 9 | 9 | 1.5 |
| 4. SW | -9 | -9 | 1.5 |

IV. MODEL RESULTS (WORST CASE WIND ANGLE)

| RECEPTOR | * BRG (DEG) | * PRED CONC (PPM) | * A | * B | * C | * D |
|----------|-------------|-------------------|-----|-----|-----|-----|
| 1. SE | 347. | 4.3 | 0.0 | 0.1 | 0.0 | 0.0 |
| 2. NW | 103. | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3. NE | 258. | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 |

4. SW * 12. * 4.3 * 0.0 0.1 0.0 0.0

